ELSEVIER

Toxicology 103 (1995) 205

TOXICOLOGY

Author index

Volume 103 (1995)

Ashby, J. **103**, 177

Badoc, A. **103**, 121
Barfuss, D.W. **103**, 23
Basketter, D.A. **103**, 63, 177
Basset, L. **103**, 121
Beales, D. **103**, 113
Bens, M. **103**, 37
Benson, J.M. **103**, 9
Björk, B. **103**, 127
Bourbouze, R. **103**, 37

Cheng, Y.-S. **103**, 9
Cluet, J.L. **103**, 105
Creppy, E.E. **103**, 121

Dearman, R.J. **103**, 63
Deffieux, G. **103**, 121
Dunnick, J.K. **103**, 77
de Ceaurriz, J. **103**, 105
de Heer, C. **103**, 195

Eidson, A.F. **103**, 9
Ennamany, R. **103**, 121

Fonger, G.C. **103**, 137
Funakoshi, T. **103**, 147

Gerberick, G.F. **103**, 63
Guillemain, B. **103**, 121
Gustavsson, C. **103**, 127
Guy, A. **103**, 63

Hahn, F.F. **103**, 9
Hailey, J.R. **103**, 77
Henderson, R.F. **103**, 9
Hilton, J. **103**, 63
House, R.V. **103**, 63

Itoh, M. **103**, 157

Jégou, B. **103**, 53

Kimber, I. **103**, 63, 177
Kishimoto, T. **103**, 1
Kojima, S. **103**, 147
Kretz, O. **103**, 121

Ladics, G.S. **103**, 63
Lash, L.H. **103**, 85, 167
Le Goascogne, C. **103**, 53
Loko, F. **103**, 37
Loveless, S.E. **103**, 63

McLean, A.E.M. **103**, 113
Morel, G. **103**, 105

Oguri, T. **103**, 1
Ohmichi, M. **103**, 157

Paton, D. **103**, 177
Pegouske, D.M. **103**, 85
Pickrell, J.A. **103**, 9
Pinon-Lataillade, G. **103**, 53
Portail, J.P. **103**, 121

Robic, D. **103**, 37
Rozing, J. **103**, 195
Ryan, C.A. **103**, 63

Scholes, E.W. **103**, 63
Schuurman, H.-J. **103**, 195
Segretain, D. **103**, 53
Shimada, H. **103**, 147
Skerfving, S. **103**, 127
Stahl, B.U. **103**, 45
Suzuki, K.T. **103**, 157

Tada, M. **103**, 1
Telolahy, P. **103**, 105
Thieffry, N. **103**, 105
Thoreux-Manlay, A. **103**, 53
Tokarz, J.J. **103**, 85, 167

Vandewalle, A. **103**, 37
van Driesten, G. **103**, 195
van Loveren, H. **103**, 195

Welinder, H. **103**, 127

Xie, J. **103**, 147

Yang, H.M. **103**, 105

Zalups, R.K. **103**, 23
Zhang, X. **103**, 127

ELSEVIER

Toxicology 103 (1995) 207–210

TOXICOLOGY

Subject index

Volume 103 (1995)

***N*-Acetyl-β-D-glucosaminidase (NAG)**; Isoenzymes; Renal cultured cells **103**, 37

***p*-Aminohippurate**; Renal uptake; Inorganic mercury; Organic anion transport system **103**, 23

***para*-Aminophenol**; Kidney cells; Proximal tubules; Distal tubules; Primary cell culture; *tert*-Butyl-hydroperoxide; Methyl vinyl ketone **103**, 85

Arsenic; Interindividual variability; Urinary metabolites; C57 BL/6J mice **103**, 105

B6C3F1 mice; Methylphenidate hydrochloride; Ritalin; Carcinogenesis; Toxicology; F344/N rats **103**, 77

***N*-Benzyl-D-glucaminedithiocarbamate**; Nickel; Testicular toxicity; Chelate effect; Diethyldithiocarbamate; *meso*-2,3-Dimercaptosuccinic acid **103**, 147

Bolesatine; Mushroom; *Boletus satanas*; Toxic protein; Inhibition of protein synthesis; SP2/O cells; Thymic lymphosarcoma **103**, 121

Boletus satanas; Bolesatine; Mushroom; Toxic protein; Inhibition of protein synthesis; SP2/O cells; Thymic lymphosarcoma **103**, 121

Bronchoalveolar lavage fluid; Nickel subsulfide; Inhalation; Rat; Histopathology **103**, 9

***tert*-Butyl-hydroperoxide**; Kidney cells; Proximal tubules; Distal tubules; Primary cell culture; Methyl vinyl ketone; *para*-Aminophenol **103**, 85

C57 BL/6J mice; Interindividual variability; Arsenic; Urinary metabolites **103**, 105

Carcinogenesis; Methylphenidate hydrochloride; Ritalin; Toxicology; F344/N rats; B6C3F1 mice **103**, 77

Cell injury; Paracetamol; Liver; Protection; Fructose; Glycerol **103**, 113

Chelate effect; Nickel; Testicular toxicity; *N*-Benzyl-D-glucaminedithiocarbamate; Diethyldithiocarba ate; *meso*-2,3-Dimercaptosuccinic acid **103**, 147

Chemical allergens; Local lymph nde assay; Skin sensitization **103**, 63

Cytochrome P450c17; Lead; Rat; Leydig cell culture; Testosterone; Cytochrome P450scc; Immunohisto-chemistry **103**, 53

Cytochrome P450scc; Lead; Rat; Leydig cell culture; Testosterone; Cytochrome P450c17; Immunohisto-chemistry **103**, 53

Cytotoxicity; Kidney cells; Proximal tubules; Distal tubules; Thiophenes; 4-(2-Thienyl)butyric acid; Oxidative stress **103**, 167

Diethyldithiocarbamate; Nickel; Testicular toxicity; Chelate effect; *N*-Benzyl-D-glucaminedithiocarbamate; *meso*-2,3-Dimercaptosuccinic acid **103**, 147

Distal tubules; Kidney cells; Proximal tubules; Primary cell culture; *tert*-Butyl-hydroperoxide; Methyl vinyl ketone; *para*-Aminophenol **103**, 85

Distal tubules; Kidney cells; Proximal tubules; Thiophenes; 4-(2-Thienyl)butyric acid; Oxidative stress; Cytotoxicity **103**, 167

Endothelial cell; Methylmercury; Nitric oxide; Nitric oxide synthase **103**, 1

Environmental fate; Hazardous substances data bank; Information technology; Toxicology data network **103**, 137

F344/N rats; Methylphenidate hydrochloride; Ritalin; Carcinogenesis; Toxicology; B6C3F1 mice **103**, 77

Fructose; Paracetamol; Liver; Cell injury; Protection; Glycerol **103**, 113

Glycerol; Paracetamol; Liver; Cell injury; Protection; Fructose **103**, 113

Guinea-pigs; Organic acid anhydrides; Immunogenicity; Immunoglobulin E; Immunoglobulin G; Structure-activity relationships **103**, 127

Hazardous substances data bank; Information technology; Toxicology data network; Environmental fate **103**, 137

Hepatic mono-nuclear cells; 2,3,7,8,-Tetrachlorodibenzo-*p*-dioxin (TCDD); Thymus; Immunotoxicology; Negative selection **103**, 195

Histopathology; Nickel subsulfide; Inhalation; Rat; Bronchoalveolar lavage fluid **103**, 9

HPLC/ICP-MS; Selenium; Monomethylselenol; Trimethylselenonium ion; Se-distribution; Stable isotope tracer **103**, 157

Immunogenicity; Organic acid anhydrides; Immunoglobulin E; Immunoglobulin G; Structure-activity relationships; Guinea-pigs **103**, 127

Immunoglobulin E; Organic acid anhydrides; Immunogenicity; Immunoglobulin G; Structure-activity relationships; Guinea-pigs **103**, 127

Immunoglobulin G; Organic acid anhydrides; Immunogenicity; Immunoglobulin E; Structure-activity relationships; Guinea-pigs **103**, 127

Immunohisto-chemistry; Lead; Rat; Leydig cell culture; Testosterone; Cytochrome P450c17; Cytochrome P450scc **103**, 53

Immunotoxicology; 2,3,7,8,-Tetrachlorodibenzo-*p*-ioxin (TCDD); Thymus; Negative selection; Hepatic mono-nuclear cells **103**, 195

Information technology; Hazardous substances data bank; Toxicology data network; Environmental fate **103**, 137

Inhalation; Nickel subsulfide; Rat; Histopathology; Bronchoalveolar lavage fluid **103**, 9

Inhibition of protein synthesis; Bolesatine; Mushroom; *Boletus satanas*; Toxic protein; SP2/O cells; Thymic lymphosarcoma **103**, 121

Inorganic mercury; Renal uptake; *p*-Aminohippurate; Organic anion transport system **103**, 23

Interindividual variability; Arsenic; Urinary metabolites; C57 BL/6J mice **103**, 105

Isoenzymes; *N*-Acetyl-β-D-glucosamin dase (NAG); Renal cultured cells **103**, 37

Kidney cells; Proximal tubules; Distal tubules; Primary cell culture; *tert*-Butyl-hydroperoxide; Methyl vinyl ketone; *para*-Aminophenol **103**, 85

Kidney cells; Proximal tubules; Distal tubules; Thiophenes; 4-(2-Thienyl)butyric acid; Oxidative stress; Cytotoxicity **103**, 167

Lead; Rat; Leydig cell culture; Testosterone; Cytochrome P450c17; Cytochrome P450scc; Immunohisto-chemistry **103**, 53

Leydig cell culture; Lead; Rat; Testosterone; Cytochrome P450c17; Cytochrome P450scc; Immunohisto-chemistry **103**, 53

Liver; Paracetamol; Cell injury; Protection; Fructose; Glycerol **103**, 113

Local lymph node assay; Skin sensitization; Chemical allergens **103**, 63

***meso*-2,3-Dimercaptosuccinic acid**; Nickel; Testicular toxicity; Chelate effect; *N*-Benzyl-D-glucaminedithiocarbamate; Diethyldithiocarba ate **103**, 147

Methyl vinyl ketone; Kidney cells; Proximal tubules; Distal tubules; Primary cell culture; *tert*-Butyl-hydroperoxide; *para*-Aminophenol **103**, 85

Methylmercury; Nitric oxide; Nitric oxide synthase; Endothelial cell **103**, 1

Methylphenidate hydrochloride; Ritalin; Carcinogenesis; Toxicology; F344/N rats; B6C3F1 mice **103**, 77

Monomethylselenol; Selenium; Trimethylselenonium ion; HPLC/ICP-MS; Se-distribution; Stable isotope tracer **103**, 157

Murine local lymph node assay; Structure activity relationships; Skin sensitization **103**, 177

Mushroom; Bolesatine; *Boletus satanas*; Toxic protein; Inhibition of protein synthesis; SP2/O cells; Thymic lymphosarcoma **103**, 121

Negative selection; 2,3,7,8,-Tetrachlorodibenzo-*p*-dioxin (TCDD); Thymus; Immunotoxicology; Hepatic mono-nuclear cells **103**, 195

Nickel; Testicular toxicity; Chelate effect; *N*-Benzyl-D-glucaminedithiocarbamate; Diethyldithiocarba ate; *meso*-2,3-Dimercaptosuccinic acid **103**, 147

Nickel subsulfide; Inhalation; Rat; Histopathology; Bronchoalveolar lavage fluid **103**, 9

Nitric oxide; Methylmercury; Nitric oxide synthase; Endothelial cell **103**, 1

Nitric oxide synthase; Methylmercury; Nitric oxide; Endothelial cell **103**, 1

Organic acid anhydrides; Immunogenicity; Immunoglobulin E; Immunoglobulin G; Structure-activity relationships; Guinea-pigs **103**, 127

Organic anion transport system; Renal uptake; Inorganic mercury; *p*-Aminohippurate **103**, 23

Oxidative stress; Kidney cells; Proximal tubules; Distal tubules; Thiophenes; 4-(2-Thienyl)butyric acid; Cytotoxicity **103**, 167

Paracetamol; Liver; Cell injury; Protection; Fructose; Glycerol **103**, 113

Phosphoenolpyruvate carboxykinase; 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin; TCDD; Primary rat hepatocyte **103**, 45

Primary cell culture; Kidney cells; Proximal tubules; Distal tubules; *tert*-Butyl-hydroperoxide; Methyl vinyl ketone; *para*-Aminophenol **103**, 85

Primary rat hepatocyte; 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin; TCDD; Phosphoenolpyruvate carboxykinase **103**, 45

Protection; Paracetamol; Liver; Cell injury; Fructose; Glycerol **103**, 113

Proximal tubules; Kidney cells; Distal tubules; Primary cell culture; *tert*-Butyl-hydroperoxide; Methyl vinyl ketone; *para*-Aminophenol **103**, 85

Proximal tubules; Kidney cells; Distal tubules; Thiophenes; 4-(2-Thienyl)butyric acid; Oxidative stress; Cytotoxicity **103**, 167

Rat; Lead; Leydig cell culture; Testosterone; Cytochrome P450c17; Cytochrome P450scc; Immunohisto-chemistry **103**, 53

Rat; Nickel subsulfide; Inhalation; Histopathology; Bronchoalveolar lavage fluid **103**, 9

Renal cultured cells; *N*-Acetyl-β-D-glucosaminidase (NAG); Isoenzymes **103**, 37

Renal uptake; Inorganic mercury; *p*-Aminohippurate; Organic anion transport system **103**, 23

Ritalin; Methylphenidate hydrochloride; Carcinogenesis; Toxicology; F344/N rats; B6C3F1 mice **103**, 77

Se-distribution; Selenium; Monomethylselenol; Trimethylselenonium ion; HPLC/ICP-MS; Stable isotope tracer **103**, 157

Selenium; Monomethylselenol; Trimethylselenonium ion; HPLC/ICP-MS; Se-distribution; Stable isotope tracer **103**, 157

Skin sensitization; Local lymph node assay; Chemical allergens **103**, 63

Skin sensitization; Structure activity relationships; Murine local lymph node assay **103**, 177

SP2/O cells; Bolesatine; Mushroom; *Boletus satanas*; Toxic protein; Inhibition of protein synthesis; Thymic lymphosarcoma **103**, 121

Stable isotope tracer; Selenium; Monomethylselenol; Trimethylselenonium ion; HPLC/ICP-MS; Se-distribution **103**, 157

Structure activity relationships; Skin sensitization; Murine local lymph node assay **103**, 177

Structure-activity relationships; Organic acid anhydrides; Immunogenicity; Immunoglobulin E; Immunoglobulin G; Guinea-pigs **103**, 127

TCDD; 2,3,7,8-Tetrachlorodibenzo-*p*-dioxin; Phosphoenolpyruvate carboxykinase; Primary rat hepatocyte **103**, 45

Testicular toxicity; Nickel; Chelate effect; *N*-Benzyl-D-glucaminedithiocarbamate; Diethyldithiocarba ate; *meso*-2,3-Dimercaptosuccinic acid **103**, 147

Testosterone; Lead; Rat; Leydig cell culture; Cytochrome P450c17; Cytochrome P450scc; Immunohisto-chemistry **103**, 53

2,3,7,8,-Tetrachlorodibenzo-*p*-dioxin (TCDD); Thymus; Immunotoxicology; Negative selection; Hepatic mono-nuclear cells **103**, 195

2,3,7,8-Tetrachlorodibenzo-*p*-dioxin; TCDD; Phosphoenolpyruvate carboxykinase; Primary rat hepatocyte **103**, 45

4-(2-Thienyl)butyric acid; Kidney cells; Proximal tubules; Distal tubules; Thiophenes; Oxidative stress; Cytotoxicity **103**, 167

Thiophenes; Kidney cells; Proximal tubules; Distal tubules; 4-(2-Thienyl)butyric acid; Oxidative stress; Cytotoxicity **103**, 167

Thymic lymphosarcoma; Bolesatine; Mushroom; *Boletus satanas*; Toxic protein; Inhibition of protein synthesis; SP2/O cells **103**, 121

Thymus; 2,3,7,8,-Tetrachlorodibenzo-*p*-dioxin (TCDD); Immunotoxicology; Negative selection; Hepatic mono-nuclear cells **103**, 195

Toxic protein; Bolesatine; Mushroom; *Boletus satanas*; Inhibition of protein synthesis; SP2/O cells; Thymic lymphosarcoma **103**, 121

Toxicology; Methylphenidate hydrochloride; Ritalin; Carcinogenesis; F344/N rats; B6C3F1 mice **103**, 77

Toxicology data network; Hazardous substances data bank; Information technology; Environmental fate **103**, 137

Trimethylselenonium ion; Selenium; Monomethylselenol; HPLC/ICP-MS; Se-distribution; Stable isotope tracer **103**, 157

Urinary metabolites; Interindividual variability; Arsenic; C57 BL/6J mice **103**, 105